

Code compliance certificate

Section 95, Building Act 2004
(Form 7 - Building (Forms) Regulations 2004)



THE BUILDING

Building consent number:	BCO10071266	Date building consent issued:	16 April 1993
Street address of building:	98 Takahe Road Titirangi		
Legal description of land where building is located:	LOT 5 DP 39187		
Building name:	N/A		
Location of building within site / block number:	N/A	Level or unit number:	N/A
Currently,lawfully established use: <i>[include number of occupants per level and per use if more than 1]</i>	Housing		
Year First constructed:	1950		

THE OWNER

Name of owner:	Stephen Paul Johnston, Shirlene Anne Johnston		
*Contact person:	Stephen Paul Johnston		
Mailing address:	98-100 Takahe Road, Titirangi, Auckland 0604		
Street address / registered office:	N/A		
Phone Number: Landline:	N/A	Mobile:	+64 (21) 222 2775
Daytime:	+64 (21) 222 2775	After hours:	N/A
Facsimile No:	N/A		
Email address:	pauljohnston100@gmail.com		
Website:	N/A		

FIRST POINT OF CONTACT FOR COMMUNICATION WITH THE BUILDING CONSENT AUTHORITY *(Must be in New Zealand)*

Full name:	Stephen Paul Johnston		
Mailing address:	98-100 Takahe Road, Titirangi, Auckland 0604		
Street address / registered office:	N/A		
Phone Number: Landline:	N/A	Mobile:	+64 (21) 222 2775
Daytime:	+64 (21) 222 2775	After hours:	N/A
Facsimile No:	N/A		
Email address:	pauljohnston100@gmail.com		

BUILDING WORK

Issued by:	Auckland Council	Building Consent Number:	BCO10071266
Alterations and additions to dwelling			

CODE COMPLIANCE


The building consent authority named below is satisfied, on reasonable grounds, that:

- The building work complies with the Building Code; and
- *This code compliance certificate has been issued subject to a modification of Clause B2.3 of the New Zealand Building Code. The modification has the effect that the required durability periods for building elements put in place in the course of the work carried out under this building consent, are to be measured from the date of substantial completion of the building work being the agreed date. The agreed date is 16 June 1993, not the date of issue of the code compliance certificate.*

ATTACHMENTS

Compliance schedule

On behalf of Auckland
Council:



Date Issued:

21 March 2024

Print name:

Ian McCormick

Position:

General Manager, Building Consents

Auckland Council, Private Bag 92300, Auckland 1142

Important information about the maintenance of your building

New Zealand is one of the few countries in the world that requires buildings and building components to last for specified minimum periods as part of legislation. It is therefore important that normal maintenance is carried out on buildings to ensure they meet legislative requirements.

Normal maintenance is defined as work that is necessary to achieve the expected durability periods for each building component. The frequency and nature of that maintenance will depend on the material or system, its geographical location and position within the building, and may involve the replacement of some components, which are subject to accelerated wear.

The Building Code (B2/AS1, clause 2) states that it is the responsibility of the person specifying (designing) the building elements to determine normal maintenance requirements. This information is usually contained within the specifications attached to your building consent. Maintenance requirements are often based on manufacturer's recommendations and may include the periodic inspection of elements that are not readily visible without special effort (e.g. access to the roof or sub-floor spaces).

Normal maintenance tasks include, but are not limited to:

- Regularly washing down external surfaces, especially those subject to wind driven salt spray
- Regularly cleaning internal surfaces, especially those subject to moisture (bathrooms, laundries, etc)
- Ensure your home / building is well-ventilated; open windows and clean air-extraction systems
 - Dampness encourages mould and mildew which can harm your health
- Ensure ground levels are maintained around the building and kept well below the cladding
 - Don't block subfloor ventilators or weep holes in brick veneer, they are there for a reason
 - Remove all moss, dirt, overgrown vegetation and obstacles
- Removing and cleaning water traps in showers to remove hair and other foreign matter
- Re-coating or painting interior and exterior surface finishes
- Replacing sealant, seals and gaskets in joints
- Replacing valves, washers and similar high-wearing components in service equipment and other building elements
- Cleaning and replacing filters in building services
- Cleaning out gutters and spouting
- Cleaning out cess pits and cut-off drains
- Regular servicing of boilers, cooling towers, lifts, escalators, emergency lighting and fire protection equipment
- Regular servicing of heating, ventilation and air-conditioning systems
- Cleaning and maintaining signs for access, escape routes, emergency equipment and hazardous areas

Maintenance does not include replacing or upgrading building elements to meet the demands of new technology or to increase the environmental expectations of users.

For more information about maintenance, please refer to the Consumer build website at <http://www.consumerbuild.org.nz/publish/maintenance.php>